

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population 125,830				<b>Community Options and MA Waiver Programs</b>		<b>Per 10,000</b>		
Population per square mile 81						<b>Staffing - FTE</b>		
County ranking in state ( 1-72) 24						<b>Number</b>		
<b>Age</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Clients</b>	<b>Costs</b>	<b>Population</b>		
0-14	13,360	14,180	27,540	COP	172 \$904,585	Total staff 38 3.0		
15-19	4,720	4,980	9,710	MA Waiver *		Administrative 3 0.2		
20-24	3,220	3,580	6,800	CIP1A	17 \$977,546	Professional staff 24 1.9		
25-29	3,660	3,890	7,540	CIP1B	221 \$7,103,010	Technical/Paraprof. 4 0.3		
30-34	4,320	4,480	8,810	CIP2	74 \$1,119,910	Support staff 7 0.5		
35-39	5,160	5,290	10,450	COP-W	191 \$1,709,159	Funding Per capita		
40-44	5,100	5,280	10,370	CSLA	. \$0	Total \$3,195,596 \$25.40		
45-54	8,610	8,860	17,470	Brain Injury	5 \$174,908	Local Taxes \$1,927,984 \$15.32		
55-64	5,450	5,380	10,830	Total COP/Wvrs	574 \$11,989,119	----- Licensed Establishments -----		
65-74	4,360	3,730	8,070	\$400,314 of the above waiver costs		<b>Type</b>		
75-84	3,580	2,470	6,060	were paid as local match/overmatch		<b>Capacity</b>		
85+	1,530	660	2,190	using COP funds. This amount is		<b>Facilities</b>		
Total	63,060	62,770	125,830	not included in above COP costs.		Bed & Breakfast 28 5		
<b>Age</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	* Waiver costs reported here		Camps 642 9		
0-17	16,390	17,330	33,720	include federal funding.		Hotels, Motels 1,900 31		
18-44	23,150	24,350	47,500	<b>Clients</b>	<b>costs</b>	Tourist Rooming 16 5		
45-64	14,060	14,240	28,300	Eligible and		Pools 78		
65+	9,470	6,860	16,320	Waiting	388 n/a	Restaurants 522		
Total	63,060	62,770	125,830	(Family Care not provided in county)		Vending 18		
Poverty Estimates for 1997						----- WIC Participants -----		
Estimate (C.I.+/-)						Number		
All ages	9,700	2,159		Note: Eligible and waiting clients		Pregnant/Postpartum 1,038		
	7.8%	( 2%)		will be phased into the COP and MA		Infants 1,064		
Ages 0-17	4,367	1,103		Waivers as available.		Children, age 1-4 1,568		
	12.5%	( 3%)				Total 3,670		
----- Employment -----						----- Cancer Incidence -----		
Average wage for jobs covered				<b>Home Health Agencies</b>		<b>1999</b>		
by unemployment compensation \$28,858				Patients 2		<b>Primary Site</b>		
Note: based on place of work				Patients 1,932		<b>Number</b>		
				Patients per 10,000 pop. 154		Breast 102		
						Cervical 10		
				<b>Nursing Homes</b>		Colorectal 83		
				Licensed beds 870		Trachea, Bronchus, Lung 61		
				Occupancy rate 89.7%		Prostate 78		
				Residents on Dec.31 767		Other sites 219		
				Residents age 65 or older		Total 553		
				per 1,000 population 43				

## NATALITY

TOTAL LIVE BIRTHS			1,520	<b>Birth Order</b>			<b>Births</b>	<b>Percent</b>	<b>Marital Status of Mother</b>			<b>Births</b>	<b>Percent</b>	
Crude Live Birth Rate			12.1	First			583	38	Married			1,204	79	
General Fertility Rate			58.0	Second			518	34	Not married			316	21	
				Third			245	16	Unknown			0	0	
				Fourth or higher			174	11						
Live births with reported congenital anomalies			20	1.3%	Unknown			0	0					
									<b>Education of Mother</b>			<b>Births</b>	<b>Percent</b>	
<b>Delivery Type</b>			<b>Births</b>	<b>Percent</b>	<b>First Prenatal Visit</b>			<b>Births</b>	<b>Percent</b>	Elementary or less			54	4
Vaginal after					1st trimester			1,198	79	Some high school			112	7
previous cesarean			30	2	2nd trimester			275	18	High school			540	36
Forceps			10	1	3rd trimester			35	2	Some college			431	28
Other vaginal			1,167	77	No visits			10	1	College graduate			383	25
Primary cesarean			220	14	Unknown			2	<.5	Unknown			0	0
Repeat cesarean			93	6										
Other or unknown			0	0										
					<b>Number of Prenatal Care visits</b>			<b>Births</b>	<b>Percent</b>	<b>Smoking Status of Mother</b>			<b>Births</b>	<b>Percent</b>
<b>Birthweight</b>			<b>Births</b>	<b>Percent</b>	No visits			10	1	Smoker			289	19
<1,500 gm			23	1.5	1-4			53	3	Nonsmoker			1,231	81
1,500-2,499 gm			81	5.3	5-9			467	31	Unknown			0	0
2,500+ gm			1,416	93.2	10-12			702	46					
Unknown			0	0	13+			287	19					
					Unknown			1	<.5					

<b>Race of Mother</b>	<b>Births</b>	<b>Percent</b>	<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
			<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	<b>Births</b>	<b>Percent</b>	<b>Births</b>
White	1,400	92	91	6.5	1,145	82	218	16	37	3
Black	2	<.5	*	.	*	.	*	.	*	.
Other	118	8	13	11.0	52	44	57	48	9	8
Unknown	0	0	.	.	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility</b>		<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	<b>Births</b>	<b>Percent</b>	<b>Births</b>
<15	1	--	*	.	*	.	*	.	*	.
15-17	26	9	2	7.7	14	54	9	35	3	12
18-19	114	67	13	11.4	72	63	36	32	6	5
20-24	330	102	25	7.6	246	75	71	22	13	4
25-29	494	135	37	7.5	426	86	57	12	11	2
30-34	386	89	18	4.7	309	80	72	19	5	1
35-39	146	28	8	5.5	111	76	28	19	7	5
40+	23	5	1	4.3	19	83	2	9	2	9
Unknown	0	--	.	.	.	.	.	.	.	.

**Teenage Births**

141 30

\* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	57
Giardiasis	21
Hepatitis Type A	<5
Hepatitis Type B**	14
Hepatitis NANB/C	<5
Legionnaire's	<5
Lyme	7
Measles	***
Meningitis, Aseptic	7
Meningitis, Bacterial	<5
Mumps	***
Pertussis	***
Salmonellosis	18
Shigellosis	<5
Tuberculosis	0

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	199
Genital Herpes	52
Gonorrhea	35
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	22,398
Non-compliant	267
Percent Compliant	98.8

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	924
Crude Death Rate	734

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	2	.
5-14	2	.
15-19	6	.
20-34	20	86
35-54	74	193
55-64	71	655
65-74	153	1,895
75-84	284	4,689
85+	303	13,842

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	9	.
Neonatal	6	.
Postneonatal	3	.
Unknown	.	.

Race of Mother

White	8	.
Black	.	.
Other	1	.
Unknown	.	.

Birthweight

<1,500 gm	6	.
1,500-2,499 gm	1	.
2,500+ gm	2	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	18	.
Neonatal	6	.
Fetal	12	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	254	202
Ischemic heart disease	157	125
Cancer (total)	211	168
Trachea/Bronchus/Lung	43	34
Colorectal	15	.
Female Breast	19	.*
Cerebrovascular Disease	69	55
Lower Resp. Disease	45	36
Pneumonia & Influenza	19	.
Accidents	47	37
Motor vehicle	22	17
Diabetes	42	33
Infectious & Parasitic	11	.
Suicide	15	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	7	.
Other Drugs	15	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	1,365	24
Alcohol-Related	154	7
With Citation:		
For OWI	106	0
For Speeding	105	0
Motorcyclist	40	3
Bicyclist	31	0
Pedestrian	33	2

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	1,045	8.3	4.6	\$11,316	\$94
<18	105	3.1	4.6	\$11,835	\$37
18-44	262	5.5	4.0	\$12,112	\$67
45-64	224	7.9	4.4	\$11,388	\$90
65+	454	27.8	5.0	\$10,701	\$298
<b>Injury: Hip Fracture</b>					
Total	119	0.9	5.6	\$12,094	\$11
65+	113	6.9	5.7	\$12,166	\$84
<b>Injury: Poisonings</b>					
Total	73	0.6	1.9	\$4,311	\$3
18-44	41	0.9	1.4	\$3,274	\$3
<b>Psychiatric</b>					
Total	680	5.4	8.6	\$6,099	\$33
<18	116	3.4	8.4	\$5,612	\$19
18-44	326	6.9	7.7	\$5,281	\$36
45-64	120	4.2	11.0	\$7,376	\$31
65+	118	7.2	8.9	\$7,538	\$54
<b>Coronary Heart Disease</b>					
Total	703	5.6	3.9	\$20,117	\$112
45-64	217	7.7	3.1	\$20,630	\$158
65+	448	27.4	4.4	\$20,272	\$556
<b>Malignant Neoplasms (Cancers): All</b>					
Total	521	4.1	5.9	\$13,056	\$54
18-44	41	0.9	4.5	\$13,644	\$12
45-64	178	6.3	5.2	\$12,946	\$81
65+	293	18.0	6.3	\$12,754	\$229
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	61	1.0	1.7	\$5,862	\$6
<b>Neoplasms: Colo-rectal</b>					
Total	59	0.5	7.8	\$13,979	\$7
65+	42	2.6	8.5	\$14,995	\$39
<b>Neoplasms: Lung</b>					
Total	40	0.3	8.7	\$22,327	\$7
<b>Diabetes</b>					
Total	116	0.9	5.4	\$8,863	\$8
65+	50	3.1	6.5	\$10,401	\$32

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	460	3.7	3.5	\$3,032	\$11
18-44	253	5.3	3.0	\$2,516	\$13
45-64	175	6.2	3.6	\$3,344	\$21
<b>Pneumonia and Influenza</b>					
Total	503	4.0	4.9	\$6,878	\$27
<18	94	2.8	3.3	\$4,623	\$13
45-64	76	2.7	4.5	\$7,962	\$21
65+	300	18.4	5.7	\$7,567	\$139
<b>Cerebrovascular Disease</b>					
Total	312	2.5	4.6	\$9,939	\$25
45-64	56	2.0	4.4	\$13,725	\$27
65+	243	14.9	4.4	\$8,341	\$124
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	249	2.0	4.1	\$6,108	\$12
<18	37	1.1	2.7	\$3,477	\$4
18-44	22	0.5	2.4	\$3,417	\$2
45-64	57	2.0	5.0	\$8,457	\$17
65+	133	8.1	4.3	\$6,278	\$51
<b>Drug-Related</b>					
Total	65	0.5	8.5	\$5,957	\$3
18-44	43	0.9	6.7	\$5,081	\$5
<b>Total Hospitalizations</b>					
Total	14,057	111.7	4.1	\$7,942	\$887
<18	2,593	76.9	3.2	\$4,228	\$325
18-44	3,729	78.5	3.2	\$5,484	\$431
45-64	2,609	92.2	4.2	\$10,113	\$932
65+	5,126	314.1	5.2	\$10,504	\$3,299

## PREVENTABLE HOSPITALIZATIONS\*

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Total	1,732	13.8	4.3	\$6,255	\$86
<18	239	7.1	2.7	\$4,391	\$31
18-44	181	3.8	3.0	\$4,415	\$17
45-64	285	10.1	4.7	\$7,573	\$76
65+	1,027	62.9	4.8	\$6,647	\$418

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.